#### Updated: 6/4/2021

### 2021 MARYLAND STANDARD OFFER SERVICE REQUEST FOR PROPOSALS FOR FULL REQUIREMENTS WHOLESALE ELECTRIC POWER SUPPLY

#### **QUESTIONS AND ANSWERS**

#### **GENERAL QUESTIONS**

DATE	QUESTION	ANSWER
POSTED		
09/30/2019	Q1.	A1.
POSTED 09/30/2019 10/15/2018; updated 4/16/2020	Q1. Who has the Maryland Public Service Commission chosen as a consultant for this procurement process? Q2. Will standard offer service suppliers be responsible for providing Offshore Wind Renewable Energy Credits as a result of MD PSC Order 88192 referenced below? If so, what is the soonest date that suppliers could be responsible for providing the Offshore Wind component of the RPS obligation? Reference: https://www.psc.state.md.us/wp- content/uploads/Order-No88192- Case-No9431-Offshore-Wind.pdf	<ul> <li>A1.</li> <li>The Maryland Public Service Commission has chosen Bates White, LLC.</li> <li>A2.</li> <li>Yes, SOS suppliers will be responsible for providing Offshore Wind Renewable Energy Credits ("OREC") as a result of MD PSC Order 88192 referenced below.</li> <li>Please see Section 4.4 and Exhibit B in the Full Requirement Service Agreement (FSA).</li> <li>However, on April 15, 2020, the Commission granted the Motion for Clarification finding that no Offshore Renewable Energy Credits from the offshore wind project of U.S. Wind will be collected or created for purchase by any electricity supplier prior to its current projected Commercial Operational Date of December 2024. Finally, the Commission denied the motion to modify the offshore renewal credit price schedule.</li> </ul>
		Note: The latest updates on the OREC obligation would be available under Case 9431 and the
		subsequent Case 9628 and 9629 on the Maryland

		Public Service Commission website		
		https://www.psc.state.md.us/.		
40/45/2010				
10/17/2018	Q3.	A3.		
	Will Maryland standard offer service suppliers be responsible for any potential increases in the cost of reserves such as those discussed in the following PJM presentation on reforms related to consolidating Tier I and Tier 2 reserves and changing the Operating Reserve Demand Curve? https://www.pjm.com/- /media/committees-groups/task- forces/epfstf/20180926/20180926- item-04-simulation-results-pjm- proposal.ashx	Per section 2.4 of the FSA, the supplier bears the risk of changes to PJM products and pricing with the exception of Network Integration Transmission Service and Distribution Service as defined in Section 2.3		
10/18/2018	04.	A4.		
10/10/2010	Is the new line 1108A the responsibility of the Buyer or Seller?	Billing Line Item 1108A will be the responsibility of the Buyer and will be handled as a billing line item transfer described in Exhibit D of the FSA.		
11/07/2018	Q5.	A5.		
	The pre-bid security requirement appears to be \$600,000 per block, regardless of the size of block. Is it true that the pre-bid collateral is the same for the 3-month Type II as well as the 12- and 24-month Residential product?	Yes, per section 3.9 of the Request-For-Proposals (RFP)For rated bidders the amount of the bid assurance collateral is \$300,000 per bid block. For unrated bidders who do not have a rated Guarantor, or whose Guarantor is not capable of executing a Guaranty on behalf of the bidder, the amount of the bid assurance collateral is \$600,000 per bid block. The amount of collateral required is per bid block		
	On a related note, it appears that	regardless of size of block and product type.		
	the rounding amount is \$250,000	Veg. non section 14.1 of the Evil Deriving sets Comis		
	when determining the Performance Assurance amount	Y es, per section 14.1 of the Full Requirements Service		
	meaning that if the MTM	if at any time and from time to time during the term of		

	exposure were \$10,000, a supplier would need to provide \$250,000 in collateral. Is this correct?	this Agreement, Aggregate Buyer's Exposure exceeds the Unsecured Credit on any Business Day, then Buyer shall request that Seller post Performance Assurance in an amount equal to the amount by which Aggregate Buyer's Exposure exceeds the Unsecured Credit (rounding upwards to the nearest \$250,000), less any Performance Assurance already posted with Buyer. Subsequent and incremental requests for Performance Assurance shall be in \$250,000 increments. Buyer's request for Performance Assurance shall not be disputed by Seller.
1/16/2019	Q6. After reading the FSA, RFP FAQs, Public Utilities Article 7- 306.2, the Community Solar Pilot Program of the Maryland PSC website and utilities tariffs, it is still not clear to us as to the exact impact a community solar project will have on the Full Requirements Service obligation of a winning supplier ("Seller") under the 2019 Full Requirements Service Agreement. As a result, we would like to submit the following questions:	A6. The entirety of the output from the Community Solar project(s) will offset EDC Zonal SOS Load. Since EDC Zonal SOS load is offset by Community Solar generation; it could potentially reduce Seller's Energy, Capacity, Ancillary Services and Renewable Energy obligations associated with the SOS Load. SumOfkWh_Premise_With_UFE will be offset by Community Solar generation which, in turn, could potentially reduce SOS payments to supplier.
	Under Public Utilities Article 7- 306.2 (d) (7) it states that any unsubscribed energy generated by a community solar project shall be purchased by the respective utility at the amount it would have cost the utility to procure the energy, and in Article 7-306.2 (d) (8) it states that the energy generated from a community solar project will be used to offset purchases from wholesale electricity suppliers for standard offer service. Is the amount that is used to offset purchases from a wholesale electricity supplier for standard offer service (i) the	

ſ	entirety of the output from the	
	community solar project, or (ii)	
	the portion that is unsubscribed,	
	or (iii) the portion that is	
	subscribed by SOS customers, or	
	(iv) some other combination that	
	is less than the entirety of the	
	project?	
	Under the 2019 Full Requirements	
	Service Agreement, a Seller is paid	
	the price listed in the Transaction	
	Confirmation on the volumes	
	associated with "SOS Load" (total	
	sales at the retail meter plus UFE)	
	multiplied by the Base Load	
	Percentage associated with the	
	award. In turn, the Seller's	
	obligation is to meet the Energy,	
	Capacity, Ancillary Services and	
	<b>Renewable Energy obligations</b>	
	associated with the SOS Load.	
	Which of these items will a	
	community solar project impact?	
	Will it reduce the SOS Load on	
	which the Seller is paid? Will it	
	also reduce the corresponding	
	Energy, Capacity, Ancillary	
	Services and Renewable Energy	
	obligations associated with the	
	SOS Load, or will it only impact a	
	subset of these items? If it is a	
	subset, which ones will it impact?	

04/11/2019;	Q7.	A7.
updated 5/19/21	Q7. Did the Maryland General Assembly pass any bills during the 2021 session related to utility Standard Offer Service?	<ul> <li>A7.</li> <li>Yes. Senate Bill 65, an Act concerning Electricity – Renewable Energy Portfolio Standard – Tier 2 Renewable Sources, Qualifying Biomass, and Compliance Fees, was passed. Among other things, SB 65 makes certain changes to Maryland's Renewable Energy Portfolio Standard Program. The utilities don't know when, or if, the Governor will sign the bill. The bill is available for review at: Legislation - SB0065 (maryland.gov)</li> <li>The Maryland Electric Distribution Companies do not express any opinion as to what, if any, impact the bill will have on previously executed or prospectively executed SOS agreements.</li> <li>A supplier's renewable energy obligation is set-forth in Exhibit B of the FSA at time of the RFP issuance, for the supply period covered by the FSA and RFP. Any subsequent changes to the renewable energy law(s) during this time, will be incorporated into the FSA.</li> <li>Please refer to Article 4.4 Renewable Energy Obligation, of the FSA for additional information on renewable energy law changes, supplier responsibility and cost recovery associated with such changes which may occur during the supply period covered by the FSA. Exhibit B has been updated with the latest requirements as referenced in SB65 effective June 1, 2021.</li> </ul>
4/13/2020; updated6/4/ 2021	Q8 What will the responsibilities of winning suppliers be with respect to capacity service and charges for months during the term in which the BRA price is unknown?	A8 With the Planning Year (PY) 2022/2023 Base Residual Auction results available for the June 7, 2021 solicitation, the proxy capacity price provided by the utilities should no longer be used for this time period, and the PJM RPM price should be utilized instead. The proxy price will remain in effect for PY 2023/2024. Proxy prices for PY 2023/2024 are as indicated below:

		Manuland 22/24	Brown Conscitu Bri	~~
			23/24 Proxy price	ce
		BGE	\$111.71	
		DPL	\$152.07	
		Рерсо	\$102.22	
		Potomac Edison	\$97.82	
		Potomac Edison\$97.82References: As detailed in the 2020-2021Supplemental Procurement Improvement Process report filed with the Commission on August 26, 2020, a non-zero proxy price will be applied. Under the positive price proxy, the utilities will pay the suppliers' capacity prices for the proxy embedded in their bid plus or minus the difference between the proxy price and the actual Final Zonal Net Load Price for capacity as posted PJM after PJM's third Incremental Auction.Additional information related to the proxy price is included in the RFP document (Section 2.1) and FSA document (Article 7.1)		
4/14/2020	Q9	A9		
	<ol> <li>How will the proxy pricing mechanism for pricing capacity be incorporated into the Full Requirements Service Agreement?</li> <li>Can you provide the document which will need to be executed for this?</li> <li>Will all winning suppliers be required to execute this document and incorporate the proxy capacity price mechanism into the FSA?</li> </ol>	<ol> <li>Each EDC information Settlement)</li> <li>Yes, all win execute the proxy price</li> </ol>	will incorporate the n into Article 7 (Bill ) of the FSA. nning suppliers will rFSA document that information.	proxy pricing ling and be required to t includes the
4/21/2020	Q10	A10		
	In light of the record FFDC	The MD 114:1:4:	will fallow DOC	·1-4:
	Minimum Offer Price Dule ruling	i ne MD Utilities v	will follow PSC regi	ulations and/or
	it is possible that Maryland could	state legislation if	a MD Utility were r	(EDD)
	it is possible that Maryland could	the PJM Fixed Res	source Requirement	(FRR) option.

	pursue the Fixed Resource	Given the existence of the proxy price and method for
	Requirement ("FRR") alternative	collecting/charging to the total cost of capacity once
	as a replacement to the PJM RPM	known, that same concept could apply if by
	capacity market for the 2022/2023	legislation/regulation Maryland opted to satisfy the
	delivery year. If an FRR	unforced capacity obligation of the load in the EDC
	procurement took the place of	service areas through the FRR option. The FRR
	PJM's RPM auction to set the	method for procuring capacity (if chosen by the
	price of capacity, would efforts be	Maryland General Assembly by statute or by the
	made to leverage the same proxy	Maryland PSC by regulation or order) would result in a
	true-up mechanism as is defined	cost for capacity that would be used to collect/charge
	in the Service Agreement? Put	against the proxy price.
	another way, is it fair to assume	
	that suppliers would maintain a	
	similar obligation to meet any	
	such FRR capacity obligations for	
	the load with the same	
	ability/obligation to true-up the	
	equivalent FRR capacity price	
	against the proxy Net Load Price?	
09/17/2020	Q11	A11
	Will the four utilities accept DecuSign as an acceptable form of	As per RFP (section 9.2), electronic signatures are
	electronic signature? If it is an	permissible, and suppliers can choose any tool or
	acceptable form, would the	application (DocuSign or otherwise) to fulfill the
	utilities require separate DocuSign	requirement. Since each MD Utility uses its own
	certificates, or will a single	version of the FSA and TC, it would be advisable that
	certificate suffice?	each Utility's documents be signed individually for
		submission to PSC.
10/14/2020	Q12	A12
	Based on PJM's five peak hours	
	from the summer of 2020, we	Maryland EDC's do not plan to update or modify the
	noticed a sharp increase (~10%) in	PLC calculation methodology for PY 21/22.
	the residential share of load for	
	each of the Maryland utilities.	
	This was likely driven by the	
	warmer than average summer, in	

	conjunction with increased residential demand, and corresponding the decrease in C&I load, due to COVID-19. Given the magnitude of the increase in the Residential share during these hours, and the extraordinary circumstances under which this occurred, will the Maryland utilities make any adjustments to their calculation of PLCs for PY 21/22, or will they allow this increase of ~10% to PLCs flow through to residential load?	
10/15/2020	Q13 If MD SOS Suppliers are liable for	A13 Please see the Annotated Code of Maryland, Public
	OREC obligations in the load being put up for bid but we are	Utilities, subtitle 7-704.2 which discusses the Public Utility Service Commission's ("PSC") obligation to
	not able to secure enough ORECs	develop the regulations associated with the OREC
	in the market when the time	program. The MD EDCs are unaware of any actions to
	comes, would we be obligated to	date by the PSC to address the regulations including
	that's been set in preparation for	shortfalls as discussed in subtitle $7-04.2(4)(11)$ . Current information on the offshore wind program can be found
	these deals?	on the PSC website under Case 9431 and the subsequent cases 9628 and 9629 on the Maryland Public Service Commission website <u>https://www.psc.state.md.us/</u> .

### **SEPTEMBER 22, 2020 PRE-BID WEBINAR**

# **QUESTIONS AND ANSWERS**

DATE	QUESTION	ANSWER
POSTED		
09/11/2020	Pre-Bid Q1.	Pre-Bid A1.
	How can I get a copy of the webinar presentation?	The pre-bid webinar presentation will be posted on each of the MD Utilities RFP websites closer to the webinar event.

## **POTOMAC EDISON-SPECIFIC QUESTIONS**

DATE	QUESTION	ANSWER
POSTED		
10/16/2019	PE Q1.	PE A1.
	Please explain/correct an abnormality in the APS Type I posted in the last update. File "Historical PLC by Type.xlsx" shows the Type 1 shopping capacity PLC tag increased by 25.5 MW (97% over previous day's value) on July 23, 2019. For the current average size of a type 1 customer, this would be an increase of approximately 15,000 customers, whereas file "TypeI_Customer_Count_All_Eligible.xls" only shows an increase of 29 customers from July to August. In addition, file "TypeI_Hourly_Load_Profiles_All_Eligible.xls" shows no significant load change on that date. On August 9, 2019, file "Historical PLC by Type.xlsx" shows the 25.5 MWs of PLC tag migrate from shopping to non-shopping on August 9, 2019 (an increase of 53% over the previous day's Type 1 non-shopping PLC tag). Whereas file "1_TypeI_Customer_Count_SOS.xls" shows a slight decrease in non-shopping customer count (79 customers). Please clarify the current Type 1 non-shopping PLC tag.	A population of load will be reclassified in the near future which will result in 25.5MW PLC and 27.1MW of NSPL to move from Type I to Type II non-residential service. The historic data cannot be adjusted, however the Historical PLC by Type file located on the load data page has been updated to identify the Capacity PLS that is to be moved prospectively.
10/16/2019	PE Q2.	PE A2.
	We noticed a sharp increase in the Potomac Edison Type 1 PLC values on July 23, 2019. Between July 22 and 23, the Shopped PLC increased from 26.2 MW to 51.7 MW. Then between August 8 and 9 the Shopped PLC drops back to 26.2 MW and the Non-Shopped PLC increases from 47.8 MW to 73.3 MW which implies that 25.5 MW returned to SOS supply from a retail supplier. Even though this is a sizeable change in the Type 1 load, we did not see a commensurate change in hourly load levels or counts. Between June and August 2019, the change in Type 1 counts was an increase of 73 (September implies a decrease of 6 customers so I excluded this), and with a maximum peak of 25kW for Type 1 customers,	A population of load will be reclassified in the near future which will result in 25.5MW PLC and 27.1MW of NSPL to move from Type I to Type II non-residential service. The historic data cannot be adjusted, however the Historical PLC by Type file located on the load data page has been updated to identify the Capacity PLS that is to be moved prospectively.

	the customer count change could only account for a maximum of 1.8 MW of the 25.5 MW increase.	
	Could you please explain this change in PLC values?	
10/17/2019	PE Q3.	PE A3.
	<ul> <li>Potomac Edison has received some follow up questions to the notice sent on October 16, 2019. The following provides some additional information for your review associated with the population of load to be reclassified.</li> <li>1. When is the reclassification going to happen? Has the date been set? Is it possible that this date could change?</li> <li>2. Do you have the Type I load &amp; PLCs (both eligible and remaining) that are to be reclassified broken out for evaluation?</li> <li>3. Have the Type I customers that are due to be reclassified been notified of this change?</li> <li>4. Will the load reclassifications referenced in the Potomac Edison bid plan also occur in any of the other three Maryland EDCs?</li> <li>5. What type of customer types are represented in the population – i.e. small commercial, industrial, a municipality or aggregation?</li> </ul>	<ol> <li>The load population in question was Type III large industrial load. The reclassification process from Type III began on July 4, 2019. It has since been determined that the load should have been reclassified as Type II eligible load. Potomac Edison's Customer Support, Settlements and Rates groups are currently working together to reclassify the load from Type I to Type II which is already in process and should be completed within the next few business days.</li> <li>The file "Historical PLC by Type" located on the Potomac Edison Load Data page has been updated to show the date the PLC became Type I eligible, when it became non-shopping SOS load and the PLC amount associated with the load population that will be reclassified. Additionally, the file "Type I Hourly</li> </ol>

		<ul> <li>Load Profiles All Eligible" also located on the Potomac Edison Load Data has a tab titled "TypeITran". This tab provides the hourly load for this load population from July 4, 2019 through July 31, 2019.</li> <li>Potomac Edison has been working with the impacted load population in the move from Type III service and is aware their classification is Type II.</li> <li>This current load reclassification issue only impacts Potomac Edison.</li> <li>The load population in question is preexisting industrial load that was previously classified as Type III.</li> </ul>
10/18/2019	PE Q4.	PE A4.
	In the hourly data you posted for the formerly Type 3 load that will be reclassified to Type 2 load, the average usage of the load is 4MW, whereas the PLC associated with this load is 25.5 MW. The average to peak ratio (load factor) is considerably lower than the load factor for ELIG Type 2 customers, which had an average usage of 212 MW and a PLC of 355 MW, for the same period. In order for us to better understand the cost impact of this reclassification, could you please address the following questions: 1. Can you confirm that hourly usage is not	1. Confirmed. The PLC and NSPL are not overstated nor is the load data posted understated. The PLC value (effective June 2019) and the NSPL value (effective January 2019) was measured and calculated based upon the load's actual operating condition during 2018, which was approximately 25+ MW. Beginning in the summer of 2019 the
	NSPL) are not overstated for this load	load's operating condition

2.	Can you confirm that this load will be		decreased to
	reclassified to Type 2 Non-Shopping load		approximately 4
	as opposed to Type 2 Shopping load?		MW. However, the
3.	Could you also explain how this load		establishment of the June
	population is classified as Type 2 when		2019 PLC and January
	the Type 2 size is <600kW peak?		2019 NSPL values are
			correct based upon the
			measurements and
			calculations that occurred
			for the load's 2018
			operating condition. The
			hourly load data posted is
			based on their recent
			operating condition.
		2.	Confirmed as of current
			facts. Unless we are
			notified in the future of a
			change in the future to
			shopping status for some
			or all of this load, it will
			be Type 2 Non-Shopping
			load.
		3.	The Type 2 size limitation
			of less than 600 kW PLC
			is limited solely to
			customers receiving
			service from Potomac
			Edison under retail tariff
			Rate Schedule PH. There
			is no PLC size limitation
			or criteria for customers
			receiving service from
			Potomac Edison under
			retail tariff Rate Schedule
			G. The controlling tariff
			language is the Definition
			stated on page 4-3 of
			Potomac Edison's retail
			tariff Electric P.S.C. Md.
			No. 54, which states:
			"Type II Standard Offer

		Service (SOS)": Type II SOS is available for non- residential Customers taking Service under Rate Schedules C, G, C-A, and CSH that are not eligible for Type I SOS, and for non-residential Customers taking Service under Rate Schedule PH with a PJM capacity peak load contribution less than 600 kilowatts as of June 1st of each year."
10/21/2019	PE Q5.	PE A5.
	We noticed a sharp decrease in level of DS load to Eligible load in the Residential Load data – Class AE and WWH for the September 2018. The load data level change cannot be explained with the change in customers counts. The Eligible and DS customer counts have been steady in August 2018 to October 2018. We also noticed zero values of load in the Eligible load data for several hours in month of September 2018. Can you please explain the zero values for Eligible load for the class AE and WWH as well as the decrease in DS load levels in this month?	During our review it was identified that higher than normal weather during the beginning of September applied to our residential profile shapes which led to the zero values in September. With regards to the large drop in DS load levels for September 2018, the data for WOWH was incorrectly included in the file rather than the AE and WWH data. The file has been updated and reposted.
10/15/2020	PE Q6 Can Potomac Edison provide bidders with initial settlement data from August 2020 through October 2020? Given the meaningful change in demand due to COVID-19, having the latest data would be very helpful in determining the impact of any demand recovery within each	PE A6 The preliminary data for 8/1-10/8 has been posted. Data is in separate tabs of the existing hourly data spreadsheets.

of the customer segments. Even if data is not readily available at the class level, load data broken out by Res, Type I and Type II would be sufficient, whether it is at the retail meter or at PJM's Load with Losses level.	

## **DELMARVA POWER AND PEPCO-SPECIFIC QUESTIONS**

DATE	QUESTION	ANSWER
POSTED	DIII 01	
10/18/2018	PHI QI.	PHIAL.
	We noticed that the historical load	The profiling method used for
	data for "DPL MD ELIG - TYPE I	DPL MD OL & ORL class was
	- OL & ORL" has a weird hourly	changed starting with the $1/1/18$
	shape after Jan2018.	settlement B data. Upon further
	After Jan2018, there is a usage spike during HE21. It does not align with data from previous	investigation, the new profiling method for this class is incorrect. Starting with the August 2018
	voars which had a smooth high	settlement B data, the old profile
	usage during night time, and nearly	method will be used for this class. The
	zoro usago during day timo	data from 2017 is representative of
	Can you explain why the load shape of "DPL MD ELIG - TYPE I - OL & ORL" changed drastically after Jan2018?	should look like.
4/9/2019	PHI Q2.	PHI A2.
	For the PEPCO Type 2 ARR Values, could you please confirm that the MW in column C (attached for your convenience) are ARR MW's and not NSPL MWs? The reason I ask is that the MW total in the file is 211.8 MW whereas the NSPL as of March 1st is 214.9 MW. The PEPCO Zonal Base Load for 2019/2020 Stage 1A ARR Allocation for PY 19/20 was 2,790.4 MW as compared to an NSPL of 6,412 MW so the Stage 1A award should be ~94 MW. Was PEPCO awarded an additional ~118 MW between the Stage 1B and Stage 2	The file attached shows the breakdown between Stage 1A and Stage 1B. Column C are Cleared ARR MW's. In Stage 1A we bid and cleared 93.4 MW In Stage 1B we bid and cleared 118.4 MW

4/9/2019	PHI Q3.	PHI A3.
	One follow up question I have is whether the DPL and PEPCO values have already been scaled to match the Summer 2018 Weather Normalized Coincident Peaks. If not, could you please provide the corresponding daily zonal scaling factors?	Yes. The values have been scaled.
04/10/2019	PHI Q4.	PHI A4.
	Will you post CPLC, NSPLC and Customer Counts files for DPLMD and PEPMD as of April before the bid date? Also, is there an "as-of-date" for the 19/20 data in DPL Capacity Report 2019-06-01.xlsx and Preliminary Pepco CPLC, NSPLC and customer counts 2019-06- 01.xlsx?	The data has been posted. The 6/1/2019 PLC data file was run as of 1/4/2019.
6/7/2019	PHI Q5.	PHI A5.
	For GS-P Eligible load, we've noticed a meaningful increase in load levels starting in the 2nd half of 2018. There is almost a 20% increase over the same period (July – December) in 2017. The difference, as compared to the prior year, increases in January 2019, which is 40% greater than January 2018. The magnitude of the load increase in not explained by weather, and cannot be seen in the customer counts. We noted that the Eligible GS-P customer count as of	From our investigation the increase is due to the 6 accounts that were added to GS-P and a gradual increase in loads for GS-P as a whole. The behavior of this rate class shows monthly fluctuations.

	June 1, 2017 was 141 and as of January 31, 2019 it had increased to 146, a mere 3.5% increase. Could you provide an explanation as to the reason for this increase in load levels within this class?	
10/16/19	PHI Q6. We noticed negative load values in only Shopping Customer load data in PEPCO Residential Load- class R- in the month of April, 2019. Can you please explain this anomaly for the April 2019 PEPCO Shopping group – Class R – Residential load data and can you please confirm the sanity of data?	PHI A6. There are misrepresentations of load in the posted data during April – May 2018 and 2019 for the Delmarva MD ALT SGS rate and April 2018 and 2019 Pepco MD ALT R rate. The misrepresentations also affect the ELIG load for these classes since ELIG is the sum of SOS and ALT. They are reflected as negative hourly load. We advise suppliers to ignore the negative load data while we are working on a solution to correct the data. The SOS data is not affected.
3/31/2021	PHI Q7. We noticed negative values in the DPL MD Type 1 SGS data in the months of April and May 2020. This seems to be limited to the shopping customers. We also noticed it in 2018 and 2019. What is the cause of these negative values?	PHI A7. The negative values are a result of NEM. DPL MD tends to have very significant anniversary reconciliation KWHs in April and May each year.

## **BALTIMORE GAS & ELECTRIC-SPECIFIC QUESTIONS**

DATE POSTED	QUESTION	ANSWER